

ACCP Applications Overview

Applications Impact Team (AIT):

A-Team: Ali Omar (LaRC), Bryan Duncan (GSFC), Melanie Follette-Cook Amber Soja (LaRC), Aaron Naeger (MSFC), Olga Kalashnikova (JPL)

CCP-Team: Dalia Kirschbaum (GSFC), Emily Berndt (MSFC), Svetla Hristova-Veleva (JPL), Anita LeRoy (MSFC), Patrick Gatlin (MSFC)

Applications Coordinator: Andrea Portier















ACCR Framing Assumptions For SATM

- ACCP is a combined Aerosols and CCP process-oriented Earth Observing System consisting of
 - a) A space-based mission (payload, spacecraft, launch vehicle)
 - b) A fully integrated, sustained sub-orbital component
 - c) Program of Record, models, data assimilation, synergistic algorithms needed to extract maximum benefits from the ACCP measurements
- Payload may consist of:
 - a) Active sensors (lidars and radars)
 - b) Several passive sensors (passive MW radiometer, polarimeter, spectrometer)

Background – ACCP Study

- HQ initiated a request for a Study Team and Plan to address the Aerosol

 (A) and Clouds, Convection, and Precipitation (CCP) Designed Observables
 (DOs) called out in the 2017 Earth Science Decadal Survey (DS).
- Study Plan was submitted in July 2018 for a NASA HQ-sponsored, multicenter (GSFC, LaRC, JPL, MSFC, ARC, and GRC), 3-year pre-formulation study commencing Oct. 1, 2018.
- Study goal: to submit to NASA HQ 3 candidate Observing Systems to address the integrated A and CCP goals/objectives by the end of FY21.
- In February 2021, the Study Team submitted its candidate observing systems and identified a preferred observing system

ACCP Status & Plan

- In Year 1, the Study Team developed a preliminary SATM, developed an extensive Instrument Library (>50 RFI submissions), worked with 3 potential International partners participating in the study, formulated numerous (>19) candidate Observing Systems (OS) or Architectures to address the combined DOs for A and CCP,
- In Year 2, the Study Team selected ~6 of these Architectures to assess the scientific and applications benefit, technical and programmatic feasibility.
- In Year 3, the Study Team down selected to ~3 and submitted these to NASA Headquarters refining the details for each working towards Mission Concept Review (MCR) maturity and completing the Study Report.
 - All the candidate Observing Systems will provide minimum science objectives with any enhancements consistent with the SATM, cost and risk constraints

ACCP Study - Outcomes

- The recommended architectures provide multiple breakthrough technologies that will answer fundamental questions about how microscopic particles interact in the atmosphere to fuel severe storms, impact air quality, and influence our changing climate
- In this era of increasing weather and air quality extremes, the recommended architectures provide unique observations to reveal complex global processes
- ACCP will enable decision-making that impacts people around the world, from short-term crises to long-term plans. It will advance:
 - ✓ Weather Forecasting, Climate Modeling, Air Quality Modeling, Disaster Monitoring

Strategies

Top Candidates for Final 3 Architectures—Programmatic Factors Cost, De-Scopes & Risk



Early Science Option

1st Launch As Early as 2027-2028

Lowest Risk

Why? Polar Orbit covers the poles for global scale measurement of integrated ACCP longer time scale processes tied to radiation and climate. Lower inclination orbit provides diurnal sampling critical for convection, precipitation and delta t measurements for shorter time scale processes.

First Mission: \$579M Second Mission: \$1006M SSP-1: Radar13E, Radio07, Lidar06, Polar07, Spec03, Spec04, Camera

SSP-2: Radar17, Camera, ALI, SHOW

Arch

\$1584

P1

All-In International
Only 1 Launch 2031,

Why? Polar Orbit covers the poles for global scale measurement of integrated ACCP longer time scale processes tied to radiation and climate. Instruments in polar provide increased Information with 3 frequency radar and 3 wavelength lidar vs. 2 for each in D1A and a wide swath precipitation radar beneficial for context and applications.

Highest Risk

Single Mission: \$1.584B

Note: If prohibited from International LV then this option exceeds cap



Radio07, Lidar06, Polar07,

Spec03, Spec04, Camera

Why? Polar Orbit covers the poles for global scale measurement of integrated ACCP longer time scale processes tied to radiation and climate. Instruments in polar provide increased Information with 3 frequency radar and 3 wavelength lidar vs. 2 for each in D1A without wide swath precipitation radar beneficial for context and applications to reduce cost.

Single Mission: \$1.419B

Architecture D1A stands above the rest offering the benefits of Constellation science, opportunities for Earlier Science at lower initial cost, and potential opportunities for additional International Collaboration

The ACCP Applications Impact Team (AIT) is charged with ensuring that
applications are considered to the greatest extent possible in mission design

ACCP AIT objectives include:

- Define the key applications criteria to be considered in the final mission concept
- Identify applications and their readiness relevant to the ACCP mission early in its lifecycle (Pre-Phase A)
- Assess the feasibility of integrating end-user needs in mission design and development
- Engage users and solicit feedback to integrate user needs in the ACCP mission design concept and grow an Early Adopter Program
- Develop a Community Assessment and Report (CAR) and characterize applications communities who currently use NASA products and those who could potentially use NASA products, i.e., Communities of Practice and Potential, respectively.

California Wildfires: Sep. 6



Hurricane Laura: Aug. 26



Applications Impact Team Deliverables and Approaches


Applications Benefit Applications Applications Benefit Traceability Matrix Narrative Scoring Summary of 27 Enabled Will accompany the Utility scoring of geophysical quantitative scores for each Applications (EA) with relevant variables for a selection of presented architecture and Geophysical Variables and unique EAs based on provide additional information Observables, end users and applications novelty and on end user needs decision approaches continuity Prototyping Prototyping End user engagement and synthesis of group expertise across ACCP thematic areas Conducted from interviews, surveys, webinars, trainings and workshops Creating end user database

Community Assessment Report (CAR)

Research conducted by RTI, contracted by NASA HQ



Applications Thematic Areas and High-level Enabled Applications



Instrument Library Summary

Radiometric accuracy ~ 3% 1130 km @ 500 km altitude 1 km spatial resolution

550 km @ 500 km altitude 0.5 km spatial resolution

Polarimeters

	ilistiuli	ent Library Sun	IIIIai y	
Radars	Radiometers	Lidars	Polarimeters	Spectrometers
W, Ka, Ku, scanning, Doppler	44 40 04 07 00		14 channels, 5 angles	
W, Ka, scanning, Doppler	11, 19, 24, 37, 89, 166, 183	532 <u>bs</u> , 1064 <u>bs</u>	14 channels, 5-9	
W, Ka, nadir, Doppler	11, 19, 24, 37, 89 24, 31, 55, 89, 166,	532 bs, 1064 bs	angles	LWIR, 3 channels
W, Ka, nadir, Ka Doppler	183	355 HSRL, 532 HSRL	Hyperspectral, 1 angle	
W, Ya, nadir, no Doppler	19, 24, 34 118, 183	532 bs. 1064 bs	Hyperspectral, 5 angles	VIS/NIR/SWIR, hyperspectral
Ka, Ku, scanning, Ku Doppler	87, 164, 174, 178, 187	532 HSRL, 1064 <u>bs</u>	0 channels, 60	
Kc, Ku scanning, no Doppler	118, 183, 249, 310, 380, 660, 880	355 HSRL, 532 HSF L,	angles	LWUV/VIS/NIR/SWIR, hyperspectral
W, scanning, Doppler	883	1004 bs	11 channels, 60 angles	
W, nadir, no Doppler	183	355 HSRL, 532 55, 1064 bs	12 channels, 60	LWIR/FIR, 8 channels
Ka, nadir, Doppler	183, 326 670	4004	angles	
Ka, scanning, no Doppler	220, 680 GHz/	1064 <u>bs</u>	15 channels, 60 angles	
Ka, nadir, no Doppler	8.6, 11, 12 microns 91, 118, 183, 205	532 <u>bs</u> , 1064 <u>bs</u>		LWIR=Longwave infrared LWUV=Longwave
Ku, nadir, Doppler	91, 110, 103, 203	bs=backscatter	9 channels, 255 angles	ultraviolet VIS=visible NIR=near IR
Ku. scanning, no	Radiometer channels	HSRL=High Spectral	Channels in VIS,	SWIR=Shortwave IR

Resolution Lidar

VNIR, SWIR

FIR=Far IR

Lidars

HSRL /Backscatter Lidars 10 m vertical res. 100 m horizontal res.




Small satellite capable sensors indicated in bold.

in GHz

Ku, scanning, no

Doppler



Potential Geophysical Variables to be measured by ACCP

Observables

UV backscatter

VIS backscatter

NIR backscatter

Multi-angle radiance

Multispectral radiance

Radar Reflectivity

Radar Radial Velocity

Doppler Radar Reflectivity

Microwave Brightness Temperature

Microwave Radiance

UV Reflectance

VIS Reflectance

NIR Reflectance

Thermal IR brightness temperature

Thermal IR radiance

Potential Geophysical Variables to be measured by ACCP

Aerosols

Aerosol Absorption Coefficient Profile

Aerosol Absorption Optical Depth (Column and PBL)

Aerosol Angstrom Exponent (Column and PBL)

Aerosol Angstrom Exponent Profile

Aerosol Asymmetry Parameter

Aerosol-Cloud Feature Mask

Aerosol Effective Radius (PBL)

Aerosol Effective Radius Profile

Aerosol Extinction Profile

Aerosol Extinction to Backscatter Ratio

(Column)

Aerosol Extinction to Backscatter Ratio (Column and PBL)

Aerosol Extinction to Backscatter Ratio Profile

Aerosol Fine Mode Extinction Profile

Aerosol Fine Mode Optical Depth (Column and PBL)

Aerosol Imaginary Index of Refraction (Column and PBL)

Aerosol Non-spherical AOD Fraction (Column)

Aerosol Non-spherical AOD Fraction Profile

Aerosol Number Concentration (PBL)

Aerosol Optical Depth (Column and PBL)

Aerosol PM2.5 Concentration (surface)

Aerosol Real Index of Refraction (Column and PBL)

Aerosol vertical extent

PBL aerosol number concentration

Particle shape (aspect ratio, roughness)



A-CCP AIT Team and Experience

Designated Observable:

Aerosols

Both

Clouds, Convection & Precipitation

Name	Center	Contact	Mission Experience						
	Leads								
Ali Omar*	LaRC	ali.h.omar@nasa.gov	CALIPSO, PACE						
Dalia Kirschbaum*	GSFC	dalia.b.kirshbaum@nasa.gov	GPM						
Emily Berndt*	MSFC	emily.b.berndt@nasa.gov	Terra/Aqua, S-NPP/JPSS, GOES-R, GPM, TROPICS						
Bryan Duncan	GSFC	bryan.n.duncan@nasa.gov	Aura						
		Team Members							
Amber Soja	LaRC	amber.j.soja@nasa.gov	CALIPSO, ASP Associate Program Manager- Fire						
Olga Kalashnikova	JPL	olga.kalashnikova@jpl.nasa.gov	MISR, MAIA, EMIT, PACE						
Abigail Nastan	JPL	abigail.m.nastan@jpl.nasa.gov	MAIA						
			CALIPSO, TEMPO, MAIA, AHI, GOES-R,						
Aaron Naeger	MSFC	aaron.naeger@nasa.gov	Terra/Aqua, S-NPP/JPSS						
Patrick Gatlin	MSFC	patrick.gatlin@nasa.gov	GPM						
Anita LeRoy	MSFC	anita.leroy@nasa.gov	TRMM, GPM, TROPICS						

A-CCP Aerosol, Clouds-Convection-Precipitation Study

^{*} SALT Representative



Back Up Slides

Instrument Nomenclature Key

Active Sensors								
ACCD	Identifier	Cnactrum		Architecture				
ACCP	identiller	Spectrum	D1A	P1	P2			
	Radar_13E	KaD, WD	✓	✓				
Doppler	Radar_13E+1	KuD, KaD, WD			✓			
Radars	Radar_18	KuD, W	✓					
	Radar_17DN	KuD		✓				
	Lidar_05	532 nm HSRL 1064 nm	✓					
Lidars	Lidar_06	355 nm HSRL 532 nm HSRL 1064 nm		✓	✓			
	Lidar_09er	532 nm 1064 nm	✓					

Passive Sensors									
ACCD	Identifier	Spectrum	Architecture						
ACCF	identinei	Spectrum	D1A	P1	P2				
Spectro-	Spec_03	LWIR, FIR	✓	✓	✓				
meters	Spec_04	UV,VIS,NIR,SWIR	✓	✓	✓				
Radio-	Radio_07	118/183/240/310/380/ 660/880 GHz	✓	✓	✓				
meters	Radio_09x	89/183/325 GHz	Possible substitute for Radio_07	Possible substitute for Radio_07	Possible substitute for Radio_07				
Polari-	Polar_04b	UV/VIS, VNIR/SWIR	✓						
meters	Polar_07	UV/VIS, VNIR/SWIR	✓	✓	✓				
	ALI	VNIR, SWIR		✓	✓				
Other	SHOW	NIR		✓	✓				
	Camera	VIS	✓	✓	✓				

Study Plan & Process for Selecting Observing System Architectures

Filters: Qualitative Science Benefit Scoring and Initial Cost Estimates

Filters: Science Value vetted with community team;

and Risk and Cost Assessments

~100 Potential Options

- Large number of constellations with Large to Small Sats required to accommodate Instruments
- Perform building-block level design center sessions (JPL, LaRC, MSFC, GSFC)
- Identify primary drivers and iterate against

~12 Feasible Options

- Refine Science Scoring with OSSEs
- Refine Cost with parametric- and analogybased models
- Instrument Technical Readiness Reviews
- Quantified Risk
- Programmatic Factors

3 Recommended **Options To HQ**

- Highest Science and **Applications Value** Within Cost
- Quantified Risk

rogrammatic

Recommended Option to HQ

Specific call for RFI #2 -

Completed 8 Months Early: Ready To Recommend 1

To Move To Pre-Phase A

Architecture and

June 2019

Sept 2020

Jan

Original Plan: Summer 2021

2021ccp Aerosol, Clouds-Convection-Precipitation Study

EV22. Start Dro-Dhaco A


Overarching ACCP Goal	ACCP	∢	CCP	2017 DS Most Important Very Important	Goals
				C-2a, C-2g, W-1a, W-2a	G1 Cloud Feedbacks Reduce the uncertainty in low- and high-cloud climate feedbacks by advancing our ability to predict the properties of low and high clouds.
Understand the processing of				C-2g, C-5c, H-1b, W-1a, W-2a, W-4a	G2 Storm Dynamics Improve our physical understanding and model representations of cloud, precipitation and dynamical processes within deep convective storms.
water and aerosol through the atmosphere and develop the societal applications				H-1b, W-1a, W-3a, S-4a	G3 Cold Cloud and Precipitation Improve understanding of cold (supercooled liquid, ice, and mixed phase) cloud processes and associated precipitation and their coupling to the surface at mid to high latitudes and to the cryosphere.
enabled from this understanding.				W-1a, W-5a, C-5a	G4 Aerosol Processes Reduce uncertainty in key processes that link aerosols to weather, climate and air quality related impacts.
		-		C-2h, C-5c	G5 <u>Aerosol Impacts on Radiation</u> Reduce the uncertainty in Direct (D) and Indirect (I) aerosol-related radiative forcing of the climate system.

Goal only fully realizable via combined mission.

A or CCP makes meaningful contribution to goal

ACCP Science and Applications Traceability Matrix

Schematic of ACCP SATM flow from goals to objectives to desired capabilities



What is the AIT and its Charter

- The overarching objective of the AIT is to ensure that applications considerations are taken into account as much as possible within mission design parameters
 - Define the key applications criteria to be considered in the final mission concept
 - Identify applications and their readiness levels relevant to the A-CCP mission early in its lifecycle (Pre-Phase A)
 - Assess the feasibility of integrating end-user needs in mission design and development (Applications have never been considered this early!)
 - Engage users and solicit feedback to integrate user needs in the A-CCP mission design concept and grow an Early Adopter Program
 - Characterize Community of Practice and Potential and develop a Community Assessment and Report (CAR)
- Members of the AIT have a wide array of experience with NASA and NOAA missions related to A-CCP and have worked with diverse end users


0.7.V	A	Eot en	tial Enabled	Enabled Applications: 1-6	Partners	Geophysical Properties	Relevant Objective(s)
			1	Severe Storm Forecasting and Modeling: Observations of aerosols, cloud properties, and precipitation are used by the weather modeling and forecasting communities to predict hurricane and mid-latitude cyclone development, intensity, and track and associated precipitation type and amount.	NOAA, FAA, NCAR, EPA and State Agencies	Aerosol, cloud, and precipitation properties, brightness temperatures	01, 02, 03, 04, 05, 08, 010
			2	Aerosol & Precipitation Interaction in Modeling & Forecasting: Observations of aerosols and clouds enable the air quality modeling and forecasting communities to improve modeling/forecasting the impact of aerosols on precipitation including aerosol transport, scavenging, deposition, and chemical transformation.	NWS, NOAA, CTM, EPA, state AQ agencies, other modeling communities	Vertical velocity, aerosol, cloud, and precipitation properties	<u>01, 03, 05</u>
			3		NWS, NOAA, CTM, EPA, state AQ agencies, other modeling communities, IPCC, UN, WMO	Vertical velocity, aerosol, cloud, and p recipitation properties	<u>03</u> , <u>05</u>
			4	Energy Planning: Cloud and aerosol optical depths are used to estimate radiative fluxes for applications, such as estimating available photosynthetically active radiation (PAR) for air quality modeling, attenuated solar insolation for solar power companies, and agricultural forecasting. Solar power companies use estimates of size-resolved aerosol concentrations and precipitation to model dry and wet deposition on the panels, respectively.	NWS, NOAA, CTM, EPA, state AQ agencies, other modeling communities	Aerosol Optical Depth, Aerosol Extinction Profiles, Aerosol Speciation, cloud properties	01, 02, 05, 09, 010
			5	precipitation properties to provide continuous, detailed, multidimensional, and global monitoring as	Air quality modelers (EPA, NOAA, state agencies), solar energy companies, agricultural communities	Aerosol Optical Depth, Aerosol Extinction Profiles, Aerosol Speciation, cloud properties	<u>O1-O10</u>
			6 -CCP	industry to predict and monitor hazards, such as visibility, icing, volcanic eruptions, and the impact to flights planning and aircraft engines.	NOAA, FAA, DoD, DoE, Volcanic Ash Advisory Centers, Airlines, private industry (e.g., General Electric, Pratt and Whitney, Rolls Royce, Northrop Grumman)	Cloud phase, height, depth, radius, and amount, Aerosol Optical Depth, Aerosol Extinction Profiles, Aerosol Speciation	01, 02, 03, 04, 06, 010

A+CCP	4	Rete	ntial Enable	Enabled Applications: 7-12	Partners	Geophysical Properties	Relevant Objective(s)
			7	Wildfire Pre-, Active-, and Post-fire Operations and Management: Observations of aerosols, cloud properties and precipitation enable the wildfire management, air quality managers, and hydrologic communities to detect and model smoke plume height and vertical distribution to improving air quality forecasts, estimate exposure to wildfire PM and co-emitted trace gas pollutants, and anticipate debris flows in affected communities.	Federal AQ agencies (EPA, NOAA, Forest Service), state agencies, other modeling communities	Precipitation properties, Aerosol Cloud, layer heights, Extinction Profiles, AOD, and Speciation	01, 02, 05, 06, 07
			8	Improved Numerical Weather Prediction: Cloud and precipitation properties enable the weather prediction communities to enhance parameterizations of clouds to improve NWP output for weather forecasting.	NWP Centers (NOAA, NRL, ECMWF, JMA, NCAR), USDA, AFWA, IBM, Private Companies	Cloud height, depth, radius, phase, precipitation rate and phase	01, 02, 03, 04, 07
			9	Hydrologic Modeling: Estimates of total water volume and long-term surface precipitation observations are critical for water resource managers, agricultural communities, and energy companies for estimating streamflow, flooding and inundation impacts, and assessing drought conditions.	FEWS NET, World Bank, FAO, USDA, Water Resource/Management community	Surface precipitation (Level 2-4)	<u>03</u> , <u>04</u>
			10	Agricultural Modeling and Monitoring: Surface precipitation observations enable the agricultural communities to model, forecast, and track watershed conditions that impact crop estimation, yields, irrigation, and supply.	USDA, ClimateCorp., PrecisionAG, agricultural communities and planners	Surface precipitation (Level 3/4)	<u>O3, O4</u>
			11	Health and Ecological Forecasting & Monitoring: Surface precipitation observations are used by a range of public and private communities, international and domestic governmental organizations and NGOs as inputs into hydrologic models, vector and water borne disease modeling, animal migration tracking, insurance models, and disasters applications.	CDC, NOAA, Red Cross, reinsurance, World Bank and agricultural communities, public and private companies (e.g., Johnson & Johnson, Agvesto, MiCRO)	Surface precipitation (Level 3-4)	<u>03, 04</u>
	N'AS		12 -CCP	Disaster Monitoring, Modeling and Assessment: Observations of precipitation and long-term precipitation records are used by emergency response communities for modeling/estimating flooding and landslide hazards, developing parametric risk models for (re)insurance, and identifying high risk areas for hydrometeorological extremes.	FEMA, NOAA, Red Cross, FAO, US Army, reinsurance, NGOs	Surface precipitation (Level 2-4)	<u>03, 04</u>
				,			创量2

A+CCP	∢	Roten	tial Enabled	ଅ Enabled Applications: 13-15	Partners	Geophysical Properties	Relevant Objective(s)
			13	Human Health Studies & Health Risk Estimation: Observations of aerosol are used to infer spatio-temporal variations & trends of speciated surface-level PM (PM_1 , $PM_{2.5}$, PM_{10}), which are used for health studies, such as to associate the effects of exposure to PM with specific health outcomes, and to calculate health risks and longevity.	CDC, WHO, NIH, health researchers at universities (e.g., Global Burden of Disease), reinsurance industry	Aerosol Optical Depth, Aerosol Extinction Profiles, & Aerosol Speciation to infer surface PM (L3/L4).	<u>O6,</u> <u>O7, O8,O9,O10</u>
			14	AQ Rule & Regulation Making: Observations of aerosol are used to infer spatio-temporal variations & trends of speciated surface-level PM (PM ₁ , PM _{2.5} , PM ₁₀), which used to support AQ rule-making, define exceptional events, etc. Aerosol observations are also used to support modeling of interhemispheric transport.	EPA, state AQ agencies	Aerosol Optical Depth, Aerosol Extinction Profiles, & Aerosol Speciation to infer surface PM (L3/L4).	<u>O6,</u> <u>O7, O8,O9,O10</u>
			15	Operational AQ forecasting: Aerosol observations are used for operational AQ forecasting (e.g., forecast initialization), tracking dust plumes, and issuing AQ alerts.	Federal (NOAA) and state AQ agencies	Aerosol Optical Depth, Aerosol Extinction Profiles, & Aerosol Speciation	<u>05, 06,</u> <u>07, 08,09,010</u>

ACCP Accessisand Alord's Convection and Precipitation Study ty Assessment Report

- CAR serves to document the information gathered concerning applications communities for an observing system/mission.
- CAR Updates and Moving Forward:
 - Developed profile of current and future potential uses and end-users: AIT User Directory and AIT Contact "Wishlist"
 - Identified 12 user communities to engage and build use case and user profiles



ACCP Aerosols and Clouds, Convection, and Precipitation Study

- As our Earth system changes rapidly, NASA capabilities and observations add significant value to inform stakeholder decisions and policy
- Introducing applications in Pre-Phase-A mission studies such as ACCP ultimately amplifies the societal benefit of NASA missions
- The ACCP Applications Impact Team (AIT) is charged with ensuring that applications are considered to the greatest extent possible in mission design
 - Applications Traceability Matrix
 - Architecture Applications Benefit Scoring and Narrative
 - Community Assessment Report
- Interaction with stakeholders is key to anticipating and developing the applications potential of ACCP in the future

